



COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

Opće informacije

| | |
|-----------------|---------------|
| Trade mark | EGLO |
| Materijal broj | 12255 |
| Tip | Žarulje |
| Boja svjetla | WHITE |
| Tip žarulje (1) | E27-LED-A60 |
| kW / 1000h | 6 |
| EAN kod | 9002759122553 |

Dimenzije

| | |
|-----------------------------|-----|
| Promjer proizvoda (u mm/in) | 60 |
| Dužina proizvoda (u mm/in) | 105 |

Podaci o rasvjeti

| | |
|------------------------------|----|
| Tolerancija boje (LED, SDCM) | <6 |
|------------------------------|----|

Tehnički podaci


| | |
|---|----------|
| Equivalent power (W) | 60 |
| Faktor snage lampe | 0,5 |
| Nominalna struja (u mA) | 50 |
| Nominalni životni vijek (u h) | 20.000 |
| Nazivna snaga lampe (preciznost 0,1W) | 6 |
| Nazivni životni vijek (u h) | 20.000 |
| item-number LED-board (1) | 12255 |
| Lighting Technology | LED |
| Directional Light source | No |
| Lamp cap (Socket) | E27 |
| Mains light source | Yes |
| Connected light source | Yes |
| Colour-tunable light source | No |
| High luminance light source | No |
| Dimmable (bulb, board, stripe,...) | No |
| Energy consumption (kWh/1000h) | 6 |
| Rated useful lumen | 806 |
| Beam angle (°) - at measurement | 360 |
| Color temperature (K) | 4000 |
| Nominal wattage (W) | 6 |
| Standby power (P sb, W) | 0,5 |
| Chromaticity coordinates x (1) | 0,38 |
| Chromaticity coordinates y (1) | 0,38 |
| Color rendering index (CRI) | 80 |
| Lamp survival factor @3000h | > = 90 % |
| Lumen maintenance factor @3000h % in decimal number | 0,93 |
| Displacement factor DF (PF) | 0,5 |
| Flicker Metric / Pst LM | 0,1 |
| Stroboscopic Effect Metric / SVM | 0,1 |

Podaci o prekidaču

Funkcija

uključen daljinski upravljač
upravljanje preko APP + daljinskog uprav

| | |
|-----------------------------|----------|
| Vrijeme početka | <0,5 sec |
| Vrijeme zagrijavanja do 60% | < 1 sec |
| Prebacivanje ciklusa | 25000 |



12255 LM_LED_E27 - V3

