



110025 LM_LED_E14 - V1



COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

Información general


| | |
|-----------------------|---------------|
| Trade mark | EGLO |
| Número de material | 110025 |
| Tipo | Bombillas |
| Color de la luz | WARM WHITE |
| Tipo de bombillas (1) | E14-LED-C35 |
| EAN/UPC | 9008606227624 |

Dimensiones

| | |
|---------------------|----|
| Diámetro (en mm/in) | 35 |
| Longitud (en mm/in) | 98 |

Información Técnica

| | |
|--|----------|
| Potencia equivalente (W) | 32 |
| item-number LED-board (1) | 110025 |
| Lighting Technology | LED |
| Fuente de luz direccional | No |
| Lamp cap (Socket) | E14 |
| Fuente de luz conectada directamente a la red eléctrica | Yes |
| Fuente de luz conectada | No |
| Fuente de luz de color regulable | No |
| Fuente de luz con alta luminancia | No |
| Regulable (bombilla, placa, tira,...) | Yes |
| Energy consumption (kWh/1000h) | 4 |
| Rated useful lumen | 350 |
| Ángulo de haz (°) al medir | 360 |
| Color temperature (K) | 2700 |
| Nominal wattage (W) | 4 |
| Chromaticity coordinates x (1) | 0,4677 |
| Chromaticity coordinates y (1) | 0,4226 |
| Índice de reproducción cromática CRI | 80 |
| Factor de vida de la lámpara @3000h | > = 90 % |
| Factor de mantenimiento del lumen @3000h % en número decimal | 0,93 |
| Efecto parpadeo / Pst LM | 0,3 |
| Efecto estroboscópico / SVM | 0,1 |



110025 LM_LED_E14 - V1

